

Make Your Escape

Whether you enjoy island-hopping for a few days, carving turns in big chop, slow cruising along a secluded cove, getting your adrenaline fix at the end of a tow rope or just kicking back catching some rays, you'll find your escape with the new 2018 Sea-Doo® lineup.

We started a revolution in watercraft with the introduction of Sea-Doo in 1968. Since then, we created the first three-seater, the first on-water brake, the world's most affordable watercraft with the Sea-Doo SPARK® and many other innovative products. Now, on our 50th anniversary, we're starting another revolution: Introducing the next-generation 2018 Sea-Doo models, re-defining the watercraft experience with our most innovative, stable and versatile platform ever, for the most epic adventures ever.

THE NEXT-GENERATION SEA-DOO PLATFORM	4
PERFORMANCE — POWERFUL AND PRECISE (RXP®, RXT,® GTR™ models)	8
LUXURY — STYLISH AND COMFORTABLE (GTX† models)	12
TOW SPORTS — ACTIVE AND BOLD (WAKE™ models)	10
RECREATION — VERSATILE AND NIMBLE (GTI™ models)	2
REC LITE — PLAYFUL AND COMPACT (SPARK models)	2
INNOVATIVE TECHNOLOGY	28
THE SEA-DOO DIFFERENCE	3
PARTS, ACCESSORIES AND CLOTHING	3
SPECIFICATIONS	3







LIVING ROOM ONBOARD

CONFIGURABLE. COMFORTABLE. GROUNDBREAKING.

With comfy, modular 3-Up seating, and a useful and large swim platform, the new design makes hanging out just as fun as riding around.

Large, flat swim platform to prep for fun or kick back for hours.

Modular seating is configurable for hanging out, sunbathing or a face-to-face picnic.

Removable rear seat, to create even more space while relaxing.



REVOLUTIONARY STABILITY AT REST. AT SPEED. ALWAYS STEADY.

It's our most stable platform yet. And in rough water, it's the new industry standard for stability. Whether you're parked in a cove or hauling at high speeds, the new Sea-Doo models feel steady and sure—even with three people on board or someone re-boarding.

Redesigned hull for improved stability at high and low speeds, in big or small chop.

Lower center of gravity for improved stability.

Hull is 1" (2.5 cm) wider for improved stability at rest or re-boarding.





Other improvements: LinQ Ski Pylon Quick-Attach System, New 3rd Generation iBR, Easy Reboarding Handle. *USB Port available as an accessory. Standard on GTX Limited model. **Up to one hour.

INGENIOUS STORAGE USEFUL. ACCESSIBLE. FUNCTIONAL.

All your gear is now within arm's reach. The industry's first direct-access front storage opens by simply raising the handlebar assembly. No standing required. And extra rear storage is now possible with the secure Quick-Attach LinQ System.

Exclusive LinQ System lets you quickly and easily attach a fuel caddy and a bag or cooler.

Large front storage is completely accessible from a seated position.

Glovebox features a waterproof, shockproof phone compartment with USB charger.*

MUSIC ONBOARD INTEGRATED. BLUETOOTH. WATERPROOF.

Ride to the beat of your own drum with the new BRP Audio Premium System. With the swipe of a finger, create the vibe you want with the industry's first manufacturer-installed, truly waterproof, Bluetooth[‡] audio system. You can store your phone in the waterproof, shockproof compartment and even charge it with the USB port.*


Two powerful 50-watt speakers for music clarity, even while riding.

Music will play even after engine is turned off.**

Remote control pad on left speaker to quickly and easily change songs and volume.

7









NEW RXT-X 300

ULTIMATE OFFSHORE PERFORMANCE WATERCRAFT

TOP SPEED 105 KM/H WITH BEST ACCELERATION*

NEW ST³ HULL STABLE + PREDICTABLE

CAPACITY 3 RIDERS

2YEAR

STANDARD FEATURES PLUS:

- Modular Ergolock Narrow Racing Seat
- Tilt Steering
- Exclusive Quick-Attach Rear Cargo System (LinQ)
- 102.5 L Direct-Access Front Storage
- Bluetooth Audio System (Optional)
- Cruise Control

- Angled, Extended, Footwell Wedges
- Launch Control Auto-Trim for Optimal Acceleration
- Race-Inspired X-Sponsons for Hull Stabilization
- X-Coloration, Graphics, Design and Gauge



CAPACITY

GTR 230

TOP SPEED

105 KM/H

GTI HULL

FORGIVING + NIMBLE

ACCESSIBLE POWER AND PERFORMANCE

STANDARD FEATURES PLUS:

117 L of Storage



GTI HULL

STANDARD FEATURES PLUS:

- Acceleration of 0-60 mph (96 km/h) in 5.2 Seconds
- Ergolock System: Narrow Racing FORGIVING + NIMBLE Seat and Angled Footwell Wedges • NEW Racing Handlebar
 - with Adjustable Riser X-Coloration, Graphics,
 - Design and Gauge
 - 116 L of Storage



RXP-X 300

ULTIMATE RACING WATERCRAFT

T³ HULL™

2 RIDERS

2YEAR

TOP SPEED STANDARD FEATURES PLUS: 105 KM/H Acceleration of 0-60 mph

- WITH BEST ACCELERATION* (96 km/h) in 3.8 Seconds Ergolock System: Narrow Racing Seat and Angled
- CONTROL + PRECISION Footwell Wedges NEW Racing Handlebar CAPACITY
 - with Adjustable Riser
 - X-Coloration, Graphics, Design and Gauge
 - Trim Tabs

*Rotax 1630 ACE has highest acceleration among current model-year 2018 Sea-Doo engines.

Top speed and acceleration data based on BRP internal testing in optimal conditions. Top speed is limited to 65 mph (105 km/h) in North America as per an agreement with the US Coast Guard.

GTR-X 230

TOP SPEED

105 KM/H


CAPACITY

2 RIDERS

2YEAR

HIGH PERFORMANCE AND HIGH VALUE









NEW GTX 155 / GTX 230

LUXURIOUS VALUE AND CONTROL ALWAYS IN STYLE

TOP SPEED 88 KM/H (GTX 155) 105 KM/H (GTX 230)

NEW ST³ HULL STABLE + PREDICTABLE

CAPACITY 3 RIDERS

2YEAR

STANDARD FEATURES PLUS:

- 102.5 L of Storage
- Bluetooth Audio System (Optional)
- High-Performance Variable Trim System (VTS)



NEW GTX LIMITED 300

THE NEW STANDARD FOR LUXURY PERFORMANCE

TOP SPEED 105 KM/H

WITH BEST ACCELERATION*

NEW ST³ HULL STABLE + PREDICTABLE

CAPACITY **3 RIDERS**



GTX 155 / 230 FEATURES PLUS:

- Storage Bin Organizer and Dry Bag
- Bluetooth Audio System with USB Port
- Safety Equipment Kit
- Watercraft Cover
- Additional Gauge Functions: Time/Distance to Empty, Altitude Indicator
- Wood Brushed Mat Design on Swim Platform

Top Speed is based on BRP internal testing in optimal conditions. Top Speed is limited to 65 mph (105 km/h) in North America as per an agreement with the US Coast Guard. *Rotax 1630 ACE has highest acceleration among current model-year 2018 Sea-Doo engines.









NEW WAKE PRO 230

STABILITY, POWER AND MUSIC TO TOW LIKE A PRO

TOP SPEED 105 KM/H

NEW ST³ HULL STABLE + PREDICTABLE

CAPACITY **3 RIDERS**



STANDARD FEATURES PLUS:

- 31 US gal. (117 L) of Storage
- Modular Ergolock Seat
- Tilt steering
- High-Performance Variable Trim System (VTS)
- NEW Scratch and Impact-Resistant Lightweight Polytec™ Hull Material Exclusive LinQ Quick-Attach System for Cargo and Ski Pylon
 - Direct-Access Front Storage and Watertight Phone Box
 - Bluetooth Audio System (Optional)

Top Speed is based on BRP internal testing in optimal conditions. Top Speed is limited to 65 mph (105 km/h) in North America as per an agreement with the US Coast Guard.







STANDARD FEATURES

- Intelligent Throttle Control with 3 Riding Modes: Touring, Sport and ECO
- 117 L of Storage
- Handlegrips with Palm Rest
- Closed-Loop Cooling System (CLCS)
- Wide-Angle Mirrors
- Anti-Theft Security System (D.E.S.S.)
- iControl Learning Key



GTI 🔳

STYLE, STABILITY AND SOME SERIOUS FUN

TOP SPEED 68 KM/H

GTI HULL

3 RIDERS

2YEAR

STANDARD FEATURES PLUS:

- Reverse (iBR)
- Scratch and Impact-Resistant Lightweight Polytec Hull Material



GTI SE 130

MORE CONVENIENCE AND COMFORT FOR DAYS OF FAMILY FUN

FORGIVING + NIMBLE

CAPACITY

TOP SPEED 84 KM/H

3 RIDERS

2YEAR

- Intelligent Brake and
 - GTI HULL FORGIVING + NIMBLE CAPACITY

GTI FEATURES PLUS:

- Scratch and Impact-Resistant Lightweight Polytec Hull Material
- Touring Seat
- Reboarding Ladder
- Variable Trim System (VTS)
- Additional Gauge Functions: Fuel Consumption, Clock

(GTI SE 130 has Fiberglass Hull.)



MORE THAN 8 YEARS SUPPORTING LIFE SAVING ON THE BEACH.

BRP's exclusive technologies are at the heart of why Sea-Doo products deliver the most satisfying and secure experience on the water. The world's first and only intelligent Brake and Reverse (iBR) system together with the learning kit that helps control the speed on beginners, offer outstanding manoeuvrability and safety handling. Now add ECO™ mode for fuel efficiency, adjustable suspension for superior comfort, impressive power and cutting-edge features, and you've got a ride that puts exhilaration into your day and your mind at ease.

These continuous innovations and reputation on the water have made Sea-Doo the chosen brand for Surf Life Saving everyday operations.

Under demanding conditions, day in and day out, Sea-Doo watercraft deliver the performance and reliability required to help save lives on Australian beaches. And with ultra low emissions throughout the line-up, our watercrafts are also helping keep Australian beaches and waterways clean.

APPROVED SURF LIFE SAVING RESCUE WATERCRAFT.

Coastal Safety & Risk Manager for Surf Life Saving Australia, Anthony Bradstreet said "We are particularly pleased with the performance of the range of BRP products including Sea-Doo personal watercrafts, Evinrude E-TEC outboard engines, Can-Am ATVs and SSVs. Across the categories, BRP have shown their commitment to providing quality products that are safe to use and environmentally sustainable."



Top Speed is based on BRP internal testing in optimal conditions.









SPARK 2-UP

TOP SPEED

CAPACITY

2 RIDERS

2YEAR

66 KM/H (900 ACE)

ONE-OF-A-KIND FUN

 Equipped with all standard features WITH IBR AND CONVENIENCE

77 KM/H (900 HO ACE) PACKAGE PLUS: SPARK HULL

- Intelligent Brake and Reverse (iBR) LIGHT + EASY TO HANDLE
 - Front Storage Bin Kit 28 L
 - Reboarding Step
 - Anti-Theft Security System
 - iControl Learning Key



SPARK 3-UP



ALWAYS HAVE AN EXTRA INVITE

TOP SPEED 77 KM/H (900 HO ACE)

SPARK HULL LIGHT + EASY TO HANDLE

CAPACITY 3 RIDERS



STANDARD FEATURES PLUS:

- Added Stability with Platform Extension
- Longer Seat with place for 2 Adults + 1 Child
- Tow Sports Capability*

WITH IBR AND CONVENIENCE PACKAGE PLUS:

- Intelligent Brake and Reverse (iBR)
- Front Storage Bin Kit 28 L Reboarding Step
- Anti-Theft Security System
- iControl Learning Key



PLAYFUL TRICKSTER

SPARK TRIXX 2-UP

TOP SPEED 77 KM/H (900 HO ACE)

SPARK HULL LIGHT + EASY TO HANDLE

CAPACITY 2 RIDERS



STANDARD FEATURES PLUS:

- Intelligent Brake and Reverse (iBR)
- Handlebar with Adjustable Riser to provide more leverage for increased rider input
- Step Wedges for more stability in different riding positions
- Extended-Range Variable Trim System (VTS) and Quick, Pre-Set Positions
- Bilge Pump



NEW SPARK TRIXX 3-UP PLAYFUL TRICKSTER READY TO TOW



TOP SPEED 77 KM/H (900 HO ACE)


SPARK HULL LIGHT + EASY TO HANDLE

CAPACITY 3 RIDERS



- Added Stability with Platform Extension
- Longer Seat with place for 2 Adults + 1 Child
- Tow Sports Capability*

*Practicing tow sports requires the presence of a third person for spotting. Top Speed reached during BRP internal testing in specific weather conditions





IBR THE INDUSTRY'S FIRST AND MOST INTUITIVE ON-WATER BRAKE

Recognized by the U.S. Coast Guard for improving boat safety since 2009 and now in its third generation, the Sea-Doo exclusive iBR (Intelligent Brake and Reverse) system allows you to stop up to 160 feet (48 m) sooner than watercraft not using a brake. With both hands on the handlebars, riders can engage forward, neutral, and reverse for stable, worry-free maneuvering at low speeds. *Based on BRP internal testing.

ITC INTELLIGENT THROTTLE CONTROL ADJUSTS TO DIFFERENT DRIVING MODES

ECO MODE

This exclusive Sea-Doo feature produces up to 46% improved fuel efficiency by automatically determining the most economical power delivery.

CRUISE MODE

Set it and forget it. This activity-specific mode lets you set your speed for cruising, tow sports, navigating no-wake zones and more.

TOURING & SPORT MODES

No matter what your riding style is, you can easily set different throttle responses to match your activity.

SKI MODE

Tow the perfect line, every time. The five different acceleration profiles make it easy for the driver to deliver a smooth launch and maintain a consistent pace, increasing predictability, so boarders can focus on shredding.





TRIMMED TO PERFECTION

The Variable Trim System (VTS) allows you to easily find the ideal trim for any situation. The addition of the new advanced Launch Control System will automatically adjusts the VTS based on your current speed, to get onto plane immediately.

POLYTEC SCRATCH AND IMPACT-RESISTANT LIGHTWEIGHT MATERIAL

This innovative and robust material reduces the weight of the watercraft to deliver peak performance and efficiency, and makes it easy to tow with small cars. Plus, the color-in molding is more scratch-resistant than fiberglass.



CLOSED-LOOP COOLING SYSTEM EFFICIENT, COMPACT RELIABILITY

A Sea-Doo exclusive, the Closed-Loop Cooling System (CLSC) uses coolant to keep the engine running at ideal temperatures. Unlike competitors, this technology prevents corrosive saltwater and damaging debris from entering the engine, for increased reliability, longevity and peace of mind. Offered as an expensive upgrade on traditional inboard engines, CLCS comes standard on all Sea-Doo models.

ES WITH UNMATCHED HIGH-PERFORMANCE, SUPERIOR FUEL-EFFICIENCY AND PROVEN RELIABILITY, ROTAX® ENGINES CONTINUE TO SET THE STANDARD IN THE INDUSTRY. EVERY MODEL FEATURES THE INDUSTRY-EXCLUSIVE CLOSED-LOOP COOLING SYSTEM TO KEEP CORROSIVE SALT WATER AND DEBRIS OUT OF YOUR ENGINE FOR ADDED PEACE OF MIND. TO TOP IT OFF, ALL ACE™ SUPERCHARGED ENGINES ARE MAINTENANCE FREE. ‡

ROTAX 1630 ACE

TOP SPEED: 105 KM/H*

This pulse-pounding 300-hp engine boasts the industry's best power-to-weight ratio. Supercharged with an external intercooler, the Advanced Combustion Efficiency (ACE) technology delivers high efficiency and amazing acceleration. Case in point, the adrenaline pumping RXP-X goes from 0-60 mph (96 km/h) in just 3.8 seconds.*

*Based on BRP internal testing of 2016 RXP-X 300 in optimal conditions. Top speed is limited to 65 mph (105 km/h) in North America as per an agreement with the US Coast Guard.

ROTAX 1500 HO ACE

TOP SPEED: 105 KM/H*

Equipped with Advanced Combustion Efficiency (ACE) technology and optimized for regular fuel, the 230-hp, supercharged 1500 HO ACE uses components from our top-of-the-line ROTAX 1630 ACE to provide high performance at a high value with acceleration from 0-60 mph (96 km/h) in just 5.2 seconds* and superior fuel efficiency.

*Based on BRP internal testing of 2017 GTR-X 230 in optimal conditions. Top speed is limited to 65 mph (105 km/h) in North America as per an agreement with the US Coast Guard.

ROTAX 1503 NA

TOP SPEED 88 KM/H*

The most powerful, naturally aspirated Rotax engine on a Sea-Doo offers instant acceleration for instant fun. This engine has been tested for more than a decade and has proven to be incredibly reliable and fuel-efficient.

*Based on BRP internal testing of 2017 WAKE 155.

ROTAX 1503

84 KM/H*

performance and fuel economy, returning proven power, low overall weight, and ease of maintenance.

This engine continues to be a benchmark for reliability,

*Based on BRP internal testing of 2017 GTI SE 130.

ROTAX 900 HO ACE

TOP SPEED: 77 KM/H*

The most compact and lightweight engine on the market today. The Rotax 900 HO ACE incorporates snappy acceleration, impressive fuel economy and an excellent power-to-weight ratio with a top speed of close to 80 km/h.

*Based on BRP internal testing of 2016 SPARK 900 HO ACE 1+1.

ROTAX 900 ACE

66 KM/H*

The most fuel-efficient, compact and lightweight engine on the market today. The Rotax 900 ACE features a great power-to-weight ratio with a top speed of 41 mph (66 km/h).

*Based on BRP internal testing of 2016 SPARK 900 HO ACE 1+1.

**Performance number in metric horsepower achieved under optimal testing conditions.

***Based on engine power disclosed to EPA in kW (RXT-X 300) and information on manufacturer's website as of publication date.

‡ Inspect supercharger every 200 hours when the vehicle is used in intense conditions such as off-shore riding, continuous operation at wide open throttle, etc.



NEW ST³ HULL STABLE + PREDICTABLE

Whether you're at high speeds pounding rough offshore waters, at rest hanging out in a cove or you're simply boarding from the side, the wider hull offers industryleading stability thanks to a lower center of gravity and improved hull design.



T³ HULL PERFORMANCE + PRECISION

Ready, set, race. A deep V-shaped hull—the favorite of our Sea-Doo X-Team racers—allows unmatched control and precision for the sharpest turns and unrivaled handling. (RXP-X 300 only)



GTI HULL FORGIVING + NIMBLE

This classic, responsive, moderate V-shaped hull is now crafted in both Fiberglass or Polytec for lighter weight, and increased strength to return an enjoyable ride in variable water conditions.



SPARK HULL LIGHT + EASY TO HANDLE

Light on weight, heavy on fun. The flatter V-shaped hull makes riding fun and easy in flatter water and small chop. And makes whipping through rougher conditions even more thrilling.



XPS oils are developed for the best performance and longevity. They're the only oils developed and tested with BRP power train engineers to match the unique needs of our Rotax engines.

DISCOVER THE SEA-DOO DIFFERENCE.



We've accomplished a lot in the last 50 years. And we're just getting started.



INDUSTRY-FIRST INNOVATION

Exclusive on-water braking, Closed-Loop Cooling, LinQ Quick-Attach Syste and other technologies are designed to push boundaries and make the experience safe, easy and enjoyable.



MOST AFFORDABLE

With the lowest entry level price in the industry—20% less than the competition**—fun on the water is more accessible than ever.



UNMATCHED FUEL-EFFICIENCY

Some Sea-Doo models boast close to 30% better fuel efficiency than the closest competitor.***



INGENIOUS STORAGE

Innovative storage solutions across all of our models, like the new LinQ
System for quickly attaching gear and the new Front Storage accessible from a seated position—an industry first



0-60 MPH (96 KM/H) IN 3.8 SEC****

Leading the industry in the most exhilarating and heart-pounding ride.



SURF LIVE SAVING RECOGNISED

Sea-Doo is the chosen watercraft partner for Surf Life Saving Australia. Reliability and safety are the Sea-Doo difference



6-TIME CONSECUTIVE WORLD CHAMPION

Race inspired ergonomics and hull design have led the RXP-X to 6 world titles. Our performance machines have the edge and all of our models share winning DNA.




*Based on industry data and BRP estimates.**Source: Manufacturers' website. Price may vary according to product specification.***Based on BRP internal testing and information on manufacturers' website.

****Based on BRP internal testing of 2016 RXP-X 300.

33









			REC	LITE			RECREATION		
		2 colorations of SPARK TRIXX shown				GTI shown	GTI SE 130 shown		
	SPECIFICATIONS					III.AOH I			
		SPARK 2up	SPARK 3up	SPARK TRIXX 2up	NEW SPARK TRIXX 3up	GTI	GTI SE 130		
OVERVIEW	Available Color(s)	Vanilla and Blueberry Pineapple an	d Candy blue	Orange Crush	nd Chili Pepper and Chili Pepper	White and Reef blue	Black and Sunrise Orange Beach Blue Metallic and Lava Grey		
Ĕ L	Rider Capacity	2	3	2	3		3		
	Weight Capacity	160 kg	205 kg	160 kg	205 kg		272 kg		
	Length	279 cm	305 cm	279 cm	305 cm		335.8 cm		
S	Width	40.	,	3 cm	_		123.1 cm		
	Height	104		10	7 cm		111.8 cm		
DIMENSIONS	Dry Weight		191 kg nce Package Plus 9 kg	192 kg	199 kg	291 kg	359 kg		
	Fuel Capacity		30) L			60 L		
	Rotax Engine	ROTAX 900 ACE or ROTAX 900 HO ACE		ROTAX 900 HO ACE		ROTAX 900 HO ACE	ROTAX 1503		
9 2	Fuel Type		87 0	ctane			87 Octane		
HANDLI	Hull Type			ARK		GTI			
2 €	Hull Material	Lightweight Polytec				Lightweight Polytec	Fiberglass		
E E	Variable Trim System (VTS)			Extend	led range		√		
	Trim Tabs								
	Sponsons		,	/			$\sqrt{}$		
	Speedometer		,	/			$\sqrt{}$		
	iTC-ECO Mode						$\sqrt{}$		
	iTC-Touring Mode / Sport Mode	Rotax 900 HO ACE engine only					√ 		
	iTC- Ski Mode					Opt. Accessory	Optional Accessory		
	iTC- Cruise Control / Slow Mode	0.55 4.4				0-			
	Depth Finder	Optional Accessory				Op	otional Accessory		
빌	Water Temperature Compass						√		
N N	Top Speed / RPM					On	v otional Accessory		
CONVENIENCE	Storage Capacity	1.6 L Glove Box 28 L with Optional Front Storage Bin Kit				116.6 L - Large Front Storage Compartment - Glove Box			
	BRP Premium Audio System					3.010 DOX			
	Towing Features	Tow Hook				Tow Hook			
	Reboarding Features	√ With iBR and Convenience Package Plus Optional Accessory Reboarding Step				Opt. Accessory Reboarding Ladder	Reboarding Ladder		
	Removable Board Rack					Optional Accessory			
	Handlegrips with Palm Rest	√				√			
	Mirrors (wide-angle)						√		
ORT	Brake, Neutral and Reverse	Optional Manual Reverse or Optional Electronic iBR (900 HO ACE engine only)			Electrionic iBR	Electronic iBR			
OMP	Engine Cooling	Closed-Loop Cooling System				Closed-Loop Cooling System			
O O	Seat	Slim			h La sila si	V	Touring		
ND A	Steering	Optional Adjustable riser Adjutable riser			ible riser		Fixed		
EACE OF MIND AND COMFORT	Programmable Learning Key RF D.E.S.S. (Digitally Encoded	Optional Accessory (not programmable)					√		
PEACE	Security System) Key	Optional Accessory					√		
	D-Sea-Bel Sound Reducing System	n					√		

Optional iBR and Convenience Package Plus with Rotax 900 HO ACE Engine

27

P			



SPECIFICATIONS







RXT-X 300 with Audio System shown

		GTR 230	GTR-X 230	RXP-X 300	NEW RXT-X 300				
EW	Available Color(s)	Black and Octane Blue	California Green Metallic and Black	Neon Yellow and Lava Grey, Ice Metal and Lava Red	Neon Yellow and Lava Grey, Ice Metal and Lava Red				
OVERVIEW	Rider Capacity	3		2	3				
6	Weight Capacity	272 kg	18.	2 kg	272 kg				
	Length	335.8 cm	331.	1.6 cm 345.1 cm					
NS S	Width	123.1 cm	123.1 cm	122.7 cm	125.5 cm				
NS IO	Height	111.8 cm	114 cm	115 cm	115 cm				
DIMENSIONS	Dry Weight	367 kg	372 kg	386 kg	376 kg				
	Fuel Capacity		60) L					
	Rotax Engine	ROTAX 150	00 HO ACE	ROTAX 1630 ACE	ROTAX 1630 ACE				
ی بیا	Fuel Type	87 0	ctane	87 Octane 91 Octane					
DAN	Hull Type	G	TI	T³	ST ³				
PERFORMANCE AND HANDLING	Hull Material	Fiber	glass	Fiber	glass				
AND	Variable Trim System (VTS)	High-Performance	High-Performance with Launch Control	High-Performance v	with Launch Control				
	Trim Tabs			1	/				
	Sponsons	1		Adjustable	X-Sponsons				
	Speedometer	١		1	/				
	iTC-ECO Mode	1		1	$\sqrt{}$				
	iTC-Touring Mode / Sport Mode	1	1	J.					
	iTC- Ski Mode	Optional Accessory		Optional Accessory					
	iTC- Cruise Control / Slow Mode								
	Depth Finder	Optional Accessory							
	Water Temperature								
NG.	Compass	1		1	$\sqrt{}$				
CONVENIENCE	Top Speed / RPM	Optional Accessory		√					
CON	Storage Capacity	116.6 L - Large Front Storage Compartment - Glove Box	- Large Front Sto	5.4 L rage Compartment ve Box	102.5 L - Direct Access Front Storage Compartment - Wateright Phone Box				
	BRP Premium Audio System	Optional Accessory							
	Towing Features	Tow Hook Ski Tow Eye							
	Reboarding Features	Optional Accessory Reboarding Ladder							
	Removable Board Rack	Optional Accessory	Optional Accessory						
	Handlegrips with Palm Rest	١		1	/				
	Mirrors (wide-angle)	1		1	/				
	Brake, Neutral and Reverse	Electronic iBR							
	Engine Cooling	Closed-Loop Cooling System							
SE E	Seat	Touring	Ergolock with X logo	Ergolock with X logo	Ergolock with X logo				
PEACE OF MIND AND COMFORT	Steering	Fixed	Racing Handlebar with Adjustable Riser	Racing Handlebar with Adjustable Riser	Tilt X-Steering				
A CE	Programmable Learning Key	1		1	/				
A P	RF D.E.S.S. (Digitally Encoded Security System) Key	١	1	1	Į.				
	D-Sea-Bel Sound Reducing System	1		1	\				
	Package	Performance	X-Package	X-Package	X-Package				

Ava Rick Wee William One William One William One	TOW SPORTS			LUXURY			
Ava Rick Wee William One William One William One			GTX 230 with Au	dio System shown	GTX Limited 300 shown		
Rick We We Wind We Wind We Wind We Wind We Wind Wind Wind Wind Wind Wind Wind Wind	PECIFICATIONS				MI ANN		
Rid Web Nicolary No. 1 Nicolary No. 1 Nicolary No. 1 Nicolary Nico		NEW WAKE PRO 230	NEW GTX 155	NEW GTX 230	NEW GTX Limited 300		
Ler Wide He Dry Fue	vailable Color(s)	Teal Blue Metallic and Lava Red	Beach Blue Metallic and Lava Grey		Liquid Grey Metallic and Equestrian Brown		
Ler Wide He Dry Fue	ider Capacity	3		3	3		
Wide He Dry Fue	eight Capacity	272 kg	27:	2 kg	272 kg		
He Dry	ength	345.1 cm	345.1 cm		345.1 cm		
Fue	/idth	125.5 cm	125.		5 cm		
Fue	leight	114 cm		114	ł cm		
_	ry Weight	370 kg	348 kg (365 kg (GTX 155) GTX 230)	385 kg		
Rot	uel Capacity	60L		60) L		
	otax Engine	ROTAX 1500 HO ACE	ROTAX 1503 NA	ROTAX 1500 HO ACE	ROTAX 1630 ACE		
Fue	uel Type	87 Octane	87 0	octane	87 Octane 91 Octane		
Hu Hu Var	ull Type	ST ³		S.	T ³		
Hu	ull Material	Fiberglass	Fiberglass				
War Var	ariable Trim System (VTS)	High-Performance		High-Per	formance		
	rim Tabs	$\sqrt{}$	√				
Spi	ponsons	$\sqrt{}$	√				
Spi	peedometer	√	\checkmark				
iTC	C-ECO Mode	\checkmark	√				
iTC	C-Touring Mode / Sport Mode	\checkmark	√				
iTC	TC- Ski Mode	\checkmark		Accessory			
iTC	C- Cruise Control / Slow Mode	\checkmark	√		$\sqrt{}$		
De	epth Finder	Optional Accessory	Optional Accessory		√		
	/ater Temperature				√		
Coi	ompass	\checkmark	√		$\sqrt{}$		
Тор	op Speed / RPM	Optional Accessory	√				
Con Top Sto	torage Capacity	102.5 L - Direct Access Front Storage Compartment - Watertight Phone Box		5 L Storage Compartment t Phone Box			
BR	RP Premium Audio System	Optional	Optional		√		
Tov	owing Features	LinQ Retractable Ski Pylon	Ski Tow Eye				
Rel	eboarding Features	Reboarding Ladder		Reboardi	ng Ladder		
Rei	emovable Board Rack	√		Accessory			
На	andlegrips with Palm Rest	\checkmark		1	$\sqrt{}$		
Mii	1irrors (wide-angle)	√	√				
Bra	rake, Neutral and Reverse	Electronic iBR	Electronic iBR				
	ngine Cooling	Closed Loop Cooling Syetem	Closed-Loop Cooling System				
Sea Ste	eat	Ergolock	Ergolock with Stepped Design				
Ste	teering	Tilt		ilt			
_	rogrammable Learning Key	\checkmark		1	$\sqrt{}$		
Se	F D.E.S.S. (Digitally Encoded ecurity System) Key	V	√				
D-S	-Sea-Bel Sound Reducing System	$\sqrt{}$			$\sqrt{}$		

ire include professional riders a module and respectorman and respect and respect and respect and servers applicable local laws a stances including, but not limit is a stances including, but not limit.









ski-doo. Lynx. Sec-200. Evinrude. Rotax. Can-am.

P/N: 830200922